

# PETROSOL 95A 18/20

## IDENTIFICATION

CAS number: 64742-94-5

EC number: 919-284-0 (prov.)

## DESCRIPTION

PETROSOL 95A 18/20 is a mix of aromatic C9-C11 hydrocarbons, mainly C10, with a typical initial and final distillation range of 180-200°C.

## APPLICATIONS

Given its great solvent power, it is used in adhesives and paints.

## TYPICAL PROPERTIES

Property		Unit	Value
Density	@ 15°C	kg/l	0,897
Color Saybolt			+30
Bromine Index		mg Br/100g	<100
Distillation range			
Initial		°C	182
Final		°C	209
Naphthalenes		% (wt)	6
Aromatics		% (wt)	100
Benzene			<0,01
Flash point (close cup)		°C	66
Aniline point			12
Kauri-Butanol index			90
Kinematic viscosity	@ 40°C	cSt	0,96

## STANDARD PACKAGING


Available in trucks and vessels

## STORAGE AND HANDLING

Store in accordance with local regulations.

## HEALTH AND SAFETY

PETROSOL 95A 18/20 MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:  
[techsupport@cepsa.com](mailto:techsupport@cepsa.com)

Cepsa Quimica S.A.  
Torre Cepsa. Paseo de la Castellana 259 A  
28046 Madrid (Spain)