

PETROSOL 95A 18/20 ND

IDENTIFICATION

CAS number: 64742-94-5

EC number: 918-811-1 (prov.)

DESCRIPTION

PETROSOL 95A 18/20 is a mix of aromatic C9-C11 hydrocarbons, mainly C10, with a typical initial and final distillation range of 180-200°C. Low content in naphthalene.

APPLICATIONS

Given its great solvent power, it is used in adhesives and paints.

TYPICAL PROPERTIES

Property		Unit	Value
Density	@ 15°C	kg/l	0,884
Color Saybolt			+30
Bromine Index		mg Br/100g	<100
Distillation range			
Initial		°C	177
Final		°C	194
Naphthalenes		% (wt)	0,06
Aromatics		% (wt)	99,9
Benzene			<0,01
Flash point (close cup)		°C	62
Aniline point			13
Kauri-Butanol index			95
Kinematic viscosity	@ 40°C	cSt	0,87

STANDARD PACKAGING


Available in trucks and vessels

STORAGE AND HANDLING

Store in accordance with local regulations.

HEALTH AND SAFETY

PETROSOL 95A 18/20 ND MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:

techsupport@cepsa.com

Cepsa Quimica S.A.
Torre Cepsa. Paseo de la Castellana 259 A
28046 Madrid (Spain)