

## PETROSOL 95A 16/18

**IDENTIFICATION**

CAS number: 64742-95-6

EC number: 918-668-5

**DESCRIPTION**

PETROSOL 95A 16/18 is a mix of aromatic hydrocarbons, mainly C9-C10, with a typical initial and final distillation range of 160-180°C.

**APPLICATIONS**

Given its great solvent power, it is used in adhesives and paints.

**TYPICAL PROPERTIES**

Property		Unit	Value
Density	@ 15°C	kg/l	0.875
Color Saybolt			+30
Bromine Index		mg Br/100g	<150
Distillation range			
Initial		°C	158
Final		°C	177
Aromatics		% (wt)	99.4
Benzene			<0.01
Flash point (close cup)		°C	47
Aniline point			11
Kauri-Butanol index			90
Kinematic viscosity	@ 40°C	cSt	0.70
Cumene		% (wt)	<0.10

**STANDARD PACKAGING**


Available in trucks and vessels.

**STORAGE AND HANDLING**

Store in accordance with local regulations.

**HEALTH AND SAFETY**

PETROSOL 95A 16/18 MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:  
[techsupport@cepsa.com](mailto:techsupport@cepsa.com)

Cepsa Quimica S.A.  
Torre Picasso. Plaza Pablo Ruiz Picasso 1  
28020 Madrid (España)