

# IPA - C

## Identification

CAS Number: 67-63-0  
(Only valid outside Europe)

EC Number: 200-661-7

## Description

Isopropyl alcohol produced using circular raw materials under mass balance methodology. IPA with no variation in molecular structure and physicochemical properties compared to its fossil-based counterpart, partially replacing fossil resources with sustainable ones.

## Uses

Due to its high degree of purity, it is used in applications such as disinfectant, cosmetics and other personal care products. In addition, it has a multitude of applications as a solvent, including paints and coatings, printing inks, pesticide formulations, resin production, cleaning products and electronic applications.

## Typical properties

Parameter		Unit	Method	Value
Purity		% wt	GC	99.9
Water		% wt	ASTM D 1364	<0.1
Density	@ 20°C	kg/l	ASTM D 4052	0.785
Refractive Index	@ 20°C		ASTM D 1218	1.377
Color Pt-Co Scale			ASTM D 1209	<5
Boiling Point		°C	ASTM D 1078	82
Flash Point (Closed Cup)		°C	IP 170	12
Viscosity (Kinematic)	@ 20°C	cSt	ASTM D 445	2.40
Acidity (as Acetic Acid)		ppm wt	ASTM D 1613	<10

\*All the data provided does not imply the replacement of the Moeve Specification Sheets or Safety Sheets

<sup>1</sup> For the latest updates on these numbers, please consult the safety data sheet available at: [chemicals.moeveglobal.com](https://chemicals.moeveglobal.com)

## Transport

Available in trucks and vessels.

## Storage and handling

Store in accordance with local regulations.

## Health and safety

Refer to the Material Safety Data Sheet (MSDS).

For more info, please contact us: [techsupport@moevechemicals.com](mailto:techsupport@moevechemicals.com)

Moeve Chemicals, S.A.U. Plaza Pablo Ruiz Picasso, 1. Edificio Torre Picasso. 28020 Madrid