

PETROSOL D HEPTANE

IDENTIFICATION

CAS number: 64742-49-0

EC number: 927-510-4 (prov.)

DESCRIPTION

PETROSOL D HEPTANE is a mix of normal, iso- and cyclo-paraffin C7 hydrocarbons with a content higher than 95%. It is characterised by being a solvent with a very low content of aromatics and other impurities, with low-penetration smell.

APPLICATIONS

PETROSOL D HEPTANE is used as a solvents in several applications: adhesives, paints, coatings, silicones, degreaser, etc. It is also used to extract oils in food industry and as a fluid in polymerization reactions.

TYPICAL PROPERTIES

Property		Unit	Value
Density	@ 15°C	kg/l	0,696
Color Saybolt			+30
Bromine Index		mg Br/100g	<10
Distillation range			
Initial		°C	92
Final		°C	98
Aromatics		ppm	<50
Benzene		ppm	<10
Sulfur		ppm	<1
Flash point (close cup)		°C	<0
Aniline point			70
Kauri-Butanol index		% (wt)	29
Kinematic viscosity	@ 40°C	cSt	0,44

STANDARD PACKAGING


Available in trucks and vessels

STORAGE AND HANDLING

Store in accordance with local regulations.

HEALTH AND SAFETY

PETROSOL D HEPTANE MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:

techsupport@cepsa.com

Cepsa Quimica S.A.
Torre Cepsa. Paseo de la Castellana 259 A
28046 Madrid (Spain)