

# CEPSUL INDUSTRIAL

## SULPHUR 50 MICRONS

### IDENTIFICATION

CAS number: 7704-34-9

EC number: 231-722-6

### DESCRIPTION

Micronised sulfur (powder) with a purity level exceeding 99.5%, with a minimum of 90% of particles with a size smaller than 50 microns.

### APPLICATIONS

Sulphur is used in the industry in different production processes: rubber vulcanisation, SO<sub>3</sub>, sulfuric acid and some of its salts, caprolactam, production of fertilisers, pyrotechnics, pigments, animal feed, detergency, etc.

### TYPICAL PROPERTIES

Property	Unit	Value
Purity	% (wt)	> 99,5
Acidity	% (wt)	< 0,2
Free SO <sub>2</sub>	% (wt)	< 0,2
Ashes	% (wt)	< 0,1
Water	% (wt)	< 0,5
Melting point	°C	115
Boiling point	°C	447

### STANDARD PACKAGING


Available in 25 kg sacks

### STORAGE AND HANDLING

Store in accordance with local regulations.

### HEALTH AND SAFETY

Sulphur MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:

[techsupport@cepsa.com](mailto:techsupport@cepsa.com)

Cepsa Quimica S.A.  
Torre Cepsa. Paseo de la Castellana 259 A  
28046 Madrid (Spain)