

CEPSUL INDUSTRIAL

SULPHUR 80 MICRONS

IDENTIFICATION

CAS number: 7704-34-9

EC number: 231-722-6

DESCRIPTION

Micronised sulfur (powder) with a purity level exceeding 99.5%, with a minimum of 90% of particles with a size smaller than 80 microns.

APPLICATIONS

Sulphur is used in the industry in different production processes: rubber vulcanisation, SO₃, sulfuric acid and some of its salts, caprolactam, production of fertilisers, pyrotechnics, pigments, animal feed, detergency, etc.

TYPICAL PROPERTIES

Property	Unit	Value
Purity	% (wt)	> 99,5
Acidity	% (wt)	< 0,2
Free SO ₂	% (wt)	< 0,2
Ashes	% (wt)	< 0,1
Water	% (wt)	< 0,5
Melting point	°C	115
Boiling point	°C	447

STANDARD PACKAGING


Available in 25 kg sacks

STORAGE AND HANDLING

Store in accordance with local regulations.

HEALTH AND SAFETY

Sulphur MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:

techsupport@cepsa.com

Cepsa Quimica S.A.
Torre Cepsa. Paseo de la Castellana 259 A
28046 Madrid (Spain)